

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	212	702/122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
2	BRS	11539	709/223,224,227,228,229,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
3	BRS	2544	370/229,230,230.1,231,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
4	BRS	2578	370/229,230,230.1,231,232,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
5	BRS	5308	713/200,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
6	BRS	5693	370/229,230,230.1,231,232,401,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	237	702/122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
8	BRS	12694	709/223,224,227,228,229,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
9	BRS	2760	370/229,230,230.1,231,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
10	BRS	2797	370/229,230,230.1,231,232,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
11	BRS	5956	713/200,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
12	BRS	6191	370/229,230,230.1,231,232,401,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	0	test\$3 with securit43 with firewall\$1 with packet\$1 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:07	
14	BRS	5	test\$3 with securit\$3 with firewall\$1 with packet\$1 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:08	
15	BRS	4	test\$3 with securit\$3 with firewall\$1 with packet\$1 with network\$1 and (delay\$3 or jitter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:11	
16	BRS	1579	communicat\$3 with network\$1 with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:11	
17	BRS	0	communicat\$3 with network\$1 with firewall\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	0	communicat\$3 with network\$1 with firewall\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:14	
19	BRS	3	communicat\$4 with network\$1 with firewall\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	
20	BRS	2	713/201.ccls. and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	
21	BRS	2	"713"/\$.ccls. and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	7	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls.) and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:26	
23	BRS	7	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls.) and communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:18	
24	BRS	1	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls.) and communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	4	communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:20	
26	BRS	3	communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with delay\$1 with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	3	<p>communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4)</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:11	
28	BRS	3	<p>communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4 or limit\$6)</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS	3	communicat\$4 same network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4 or limit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:23	
30	BRS	10	communicat\$4 with network\$1 and (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4 or limit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:27	
31	BRS	63	communicat\$4 with network\$1 and delay\$1 with (terminat\$3 or clos\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	9	communicat\$4 with network\$1 and delay\$1 with (terminat\$3 or clos\$3) with port\$1 with communicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:28	
33	BRS	3	communicat\$4 with network\$1 and delay\$1 with (terminat\$3 or clos\$3) with port\$1 with communicat\$4 same control\$4 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:29	
34	BRS	3	communicat\$4 with network\$1 and delay\$1 with (terminat\$3 or clos\$3) with (pinhole\$1 or port\$1) with communicat\$4 same control\$4 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:31	
35	BRS	7	communicat\$4 with network\$1 and delay\$1 with (terminat\$3 or clos\$3) with (pinhole\$1 or port\$1) with communicat\$4 and control\$4 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	13	communicat\$4 with network\$1 and delay\$1 with open\$3 with (terminat\$3 or clos\$3) with (interface or communicat\$4) and control\$4 with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:37	
37	BRS	634	communicat\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3) with time\$1 and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:39	
38	BRS	102	communicat\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:39	
39	BRS	27	communicat\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:41	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	16	communicat\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:48	
41	BRS	3	communicat\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	3	firewall\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:49	
43	BRS	3	firewall\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	
44	BRS	8	firewall\$1 and open\$3 with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or alarm\$1) with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	0	(firewall\$1 or communicat\$4 with network\$1) and delay\$e and open\$3 with (terminat\$3 or clos\$3) with port\$1 and (alert\$3 or alarm\$1) with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined pr predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:08	
46	BRS	8	communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3 or end\$3) with port\$1 and (alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:11	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	8	communicat\$4 with network\$1 and (determin\$3 or monitor\$3 or detect\$3 or sens\$3) with (jitter\$1 or delay\$1) with (terminat\$3 or clos\$3 or end\$3) with port\$1 and (alarm\$1 or alert\$3 or warn\$3) with (eference\$1 or threshold\$1 or desired or expected or predetermined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:11	
48	BRS	3	firewall\$1 and open\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	35	firewall\$1 and (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	
50	BRS	3	firewall\$1 and delay\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
51	BRS	3	firewall\$1 and delay\$3 same (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	35	firewall\$1 and delay\$3 and (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
53	BRS	3	firewall\$1 and delay\$3 and open\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
54	BRS	4	firewall\$1 and delay\$3 and open\$3 same (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	4	firewall\$1 and delay\$3 and open\$3 same (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:15	
56	BRS	8	delay\$3 with open\$3 same (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	8	delay\$3 with open\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:18	
58	BRS	38	communication\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	19	communication\$4 with network\$1 and open\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:27	
60	BRS	3	communication\$4 with network\$1 and (monitor\$3 or determin\$3 or detect\$3) with delay\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and alarm\$1 with (exceed\$4 or threshold\$1 or expected or desired or preset\$4 or predetermined or predefined or reference\$1 or preselect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	8	communication\$4 with network\$1 and (monitor\$3 or determin\$3 or detect\$3) with delay\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:30	
62	BRS	8	communication\$4 with network\$1 and (monitor\$3 or determin\$3 or detect\$3) with delay\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1 and (alarm\$1 or alert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:26	
63	BRS	64	communication\$4 with network\$1 and (monitor\$3 or determin\$3 or detect\$3) with delay\$3 with (terminat\$3 or clos\$3 or end\$3) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:33	
64	BRS	1	communication with network and (terminat\$3 or clos\$3) adj delay\$3 with (threshold\$1 or desired or expected or predefined or preset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	118	post adj closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:26	
66	BRS	0	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and delay\$3 with post\$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:30	
67	BRS	24	delay\$3 with post\$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:27	
68	BRS	4	communicat\$4 with network\$1 and delay\$3 with post\$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:29	
69	BRS	7	communicat\$4 and network\$1 and delay\$3 with post\$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:29	
70	BRS	3	package\$1 and delay\$3 with post\$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
71	BRS	20	package\$1 and delay\$3 with post\$1 with clos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:30	
72	BRS	755	package\$1 and delay\$3 with open\$3 with clos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:30	
73	BRS	10	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and package\$1 and delay\$3 with open\$3 with clos\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:32	
74	BRS	4	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and package\$1 and delay\$3 with open\$3 with clos\$3 and (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	
75	BRS	173	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and package\$1 and clos\$3 with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
76	BRS	81	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and package\$1 and clos\$3 with port\$1 and (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	
77	BRS	12	("709"/\$.cccls. or "709"/\$.cccls. or "370"/\$.cccls.) and package\$1 and clos\$3 with port\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	13	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "455"/\$.ccls.) and package\$1 and clos\$3 with port\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting ~ or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:50	
79	BRS	2	"20020083175"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:48	

Type	Hits	Search Text	DBs	Time Stamp	Comments
80 BRS	4	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "455"/\$.ccls.) and package\$1 and clos\$3 with port\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
81	BRS	126	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "455"/\$.ccls.) and communication\$1 adj network\$1 with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:04	
82	BRS	6	("709"/\$.ccls. or "709"/\$.ccls. or "370"/\$.ccls. or "455"/\$.ccls.) and communication\$1 adj network\$1 adj firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:06	
83	BRS	61	open\$3 with (hole\$1 or post\$1) with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:07	
84	BRS	61	open\$3 with (hole\$1 or post\$1) with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	3	open\$3 with (hole\$1 or post\$1) with firewall\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:08	
86	BRS	14	open\$3 with (hole\$1 or post\$1) with firewall\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:14	
87	BRS	3	delay\$3 with open\$3 with (hole\$1 or post\$1) with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:14	
88	BRS	4	delay\$3 same open\$3 with (hole\$1 or post\$1) with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
89	BRS	3	delay\$3 with open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:16	
90	BRS	6	delay\$3 same open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:20	
91	BRS	6	(slow\$2 or delay\$3) same open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:19	
92	BRS	6	(slow\$2 or delay\$3 or jitter or jamming) same open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:20	
93	BRS	6	(slow\$2 or delay\$3 or jitter or jam\$4) same open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:20	
94	BRS	6	(slow\$2 or delay\$3 or jitter or jam\$4 or distort\$3) same open\$3 with (hole\$1 or post\$1) and firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
95	BRS	19	delay\$3 and open\$3 with (hole\$1 or post\$1) with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:23	
96	BRS	7	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) with firewall\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:23	
97	BRS	4	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) with firewall\$1 and (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:24	
98	BRS	4	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) with firewall\$1 and (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:00	
99	BRS	4	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) same firewall\$1 and (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:25	
100	BRS	18	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) and firewall\$1 and (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
101	BRS	5	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) and firewall\$1 and (alert\$3 or alarm\$1 or warn\$3) with (exceed\$3 or expect\$2 or desire\$1 or predetermin\$2 or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$2 or excess\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:27	
102	BRS	13	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) and firewall\$1 and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:01	
103	BRS	991	tim\$3 with delay\$3 and open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1 or warn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
104	BRS	3	voice\$1 with traffic and open\$3 with (hole\$1 or post\$1) and firewall\$1 and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:01	
105	BRS	5	voice\$1 with traffic and open\$3 with (hole\$1 or post\$1) and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
106	BRS	46	voice\$1 and traffic and open\$3 with (hole\$1 or post\$1) and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:03	
107	BRS	40	voice\$1 and traffic and open\$3 with (hole\$1 or post\$1) and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
108	BRS	24	voice\$1 and traffic and open\$3 with (hole\$1 or post\$1) and (differen\$2 or compar\$4) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:06	
109	BRS	6	voice\$1 and traffic and open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
110	BRS	12	traffic\$1 and open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:46	
111	BRS	8	traffic\$1 and voice\$1 and open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or presetting or threshold\$1 or limitation\$1) and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
112	BRS	19	package\$1 and open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:51	
113	BRS	43	open\$3 with (hole\$1 or post\$1) and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or presetting or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and (time adj out or delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
114	BRS	12	open\$3 with (hole\$1 or post\$1) and firewall\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1) and communicat\$4 with network\$1 and (time adj out or delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:56	
115	BRS	3	open\$3 with (hole\$1 or post\$1) same firewall\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) and (time adj out or delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
116	BRS	12	open\$3 with (hole\$1 or post\$1) and firewall\$1 and (alert\$3 or alarm\$1) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) and (time adj out or delay\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:02	
117	BRS	3	open\$3 with (hole\$1 or post\$1) and firewall\$1 and (time adj out or delay\$3) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
118	BRS	15	firewall\$1 and (time adj out or delay\$3) with (exceed\$3 or expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:08	
119	BRS	4	firewall\$1 and (time adj out or delay\$3) with exceed\$3 with (expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:28	
120	BRS	4	"6608553"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:20	
121	IS&R	3	("6608553").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
122	BRS	4	voice\$1 and traffic and (time adj out or delay\$3) with exceed\$3 with (expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:29	
123	BRS	12	voice\$1 and communicat\$4 and (time adj out or delay\$3) with exceed\$3 with (expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
124	BRS	8	voice\$1 and communicat\$4 and (time adj out or delay\$3) with exceed\$3 with (expected or desired or predetermined or predefined or presetting or threshold\$1 or limitation\$1 or preselect\$3) with (alert\$3 or alarm\$1) and (port\$1 or hole\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:31	